

## II. AMENDMENTS TO THE CLAIMS

The following is a listing of claims to replace all prior versions and listings of claims in the application:

1. (Original) A method for testing a server application using a reentrant test application, comprising: providing a test application that satisfies reentrancy requirements on a client; and  
instantiating a plurality of instances of the test application using threads, wherein each of the plurality of instances of the test application run within a single process.
2. (Original) The method of claim 1, further comprising:  
identifying application protocol interfaces (APIs) associated with the test application, prior to the instantiating step; and  
providing a test script capable of invoking the APIs, wherein upon execution, the test script instantiates the plurality of instances of the test application using threads within the single process.
3. (Original) The method of claim 1, wherein the server application is a network application.
4. (Original) The method of claim 1, wherein the reentrancy requirements dictates that the plurality of instances of the test application be run within the single process without interfering with each other.

5. (Original) The method of claim 1, wherein each of the plurality of instances of the test application corresponds to a separate thread, and wherein each of the separate threads is associated with a different connection to the server.
6. (Previously Presented) The method of claim 1, wherein the process comprises a JAVA™ virtual machine.
7. (Original) The method of claim 1, wherein the plurality of instances of the test application simulate use of the server application by a plurality of users.
8. (Original) The method of claim 1, further comprising collecting data corresponding to the test.
9. (Original) A system for testing a server application, comprising an application instantiation system for instantiating a plurality of instances of a test application on a client using threads if the test application satisfies reentrancy requirements, wherein each of the plurality of instances of the test application run within a single process.
10. (Original) The system of claim 9, further comprising an interface identification system for identifying application protocol interfaces (APIs) associated with the test application.
11. (Original) The system of claim 10, wherein the test application instantiation system comprises a driver that executes a test script capable of invoking the identified APIs, and wherein upon execution, the test script instantiates the plurality of instances of the test application using threads within the single process.

12. (Original) The system of claim 9, wherein the reentrancy requirements dictates that the plurality of instances of the test application be run within the single process without interfering with each other.

13. (Original) The system of claim 9, wherein each of the plurality of instances of the test application corresponds to a separate thread, and wherein each of the separate threads is associated with a different connection to the server.

14. (Original) The system of claim 9, wherein the application is a network application.

15. (Previously Presented) The system of claim 9, wherein the process comprises a JAVA™ virtual machine.

16. (Original) The system of claim 9, wherein the plurality of instances of the test application simulate use of the server application by a plurality of users.

17. (Original) The system of claim 9, further comprising a data collection system for collecting data corresponding to the test.

18. (Original) A program product stored on a recordable medium for testing a server application, which when executed, comprises program code for instantiating a plurality of instances of a test application on a client using threads if the test application satisfies reentrancy requirements, wherein each of the plurality of instances of the test application run a single process.

19. (Original) The program product of claim 18, further comprising program code for identifying application protocol interfaces (APIs) associated with the test application.

20. (Original) The program product of claim 19, wherein the program code for instantiating executes a test script capable of invoking the identified APIs, and wherein upon execution, the test script instantiates the plurality of instances of the test application using threads within the single process.

21. (Original) The program product of claim 18, wherein the reentrancy requirements dictates that the plurality of instances of the test application be run within the single process without interfering with each other.

22. (Original) The program product of claim 18, wherein each of the plurality of instances of the test application corresponds to a separate thread, and wherein each of the separates threads is associated with a different connection to the server.

23. (Original) The program product of claim 18, wherein the server application is a network application.

24. (Previously Presented) The program product of claim 18, wherein the process comprises a JAVA™ virtual machine.

25. (Original) The program product of claim 18, wherein the plurality of instances of the test application simulate use of the server application by a plurality of users.

26. (Original) The program product of claim 18, further comprising program code for collecting data corresponding to the test.